


WALL MOUNT SYSTEM CONFIGURATION (STRIPPING STYLE)





ATI-0555

SS-A1579, RF (01/09) Page 1 of 8



PANEL MOUNT VERSION - (00-0039)







ATI-0124

ATI-010

NEMA-4X VERSION






NOTES


- 1) Panel Mount Enclosure Material: Aluminum, Black Anodized
- 2) Nema-4X Encloure Material:
 Base: Molded ABS, tan in color
 Cover: Clear Lexan, tan in color
- Nema-4X Rating:
 NEMA rated types 4,4X
 IEC 529 rated IP66
 flammability rating UL94 HB

SS-A1579, RF (01/09) Page 2 of 8



CHEMISTRY ENCLOSURE





Base: Molded ABS, tan in color.

Cover: Clear Lexan w/Dual Hinge

RATINGS:


Nema Rating 4, 4X IEC 529 Rated IP66 Flammability Rating UL94 HB


ATI-0549

SS-A1579, RF (01/09) Page 3 of 8



JUNCTION BOX - (00-0726)







Enclosure Matl:
Polystyrene, Grey in color

Ratings: Nema 4x, IP66



PANEL MOUNT






 Front of panel is NEMA 1, general purpose only.

2) Panel mounting clips supplied with monitor.

ATI-0125

WALL MOUNT - NEMA-4X



ATI-0126


1) Wall mounting requires customer supplied screws or bolts.

SS-A1579, RF (01/09) Page 5 of 8



A15/79 TOTAL CI, MONITOR

A15/79 TOTAL CI2 MONITOR (BACK VIEW)



ATI-0242


- 1: AC POWER Neutral
- 2: AC POWER 110V HOT
- 3: AC POWER 220V HOT
- 4: AC GROUND
- 5: RELAY A Normally Open
- 6: RELAY A Common
- 7: RELAY A Normally Closed
- 8: RELAY B Normally Open
- 9: RELAY B Common
- 10: RELAY B Normally Closed
- 11: CLEANER RELAY C Normally Open
- 12: RELAY C/D Common
- 13: ALARM RELAY D Normally Closed

- 14: mA OUTPUT (+)
- 15: Unused
- 16: mA OUTPUT (-)
- 17: Sensor White
- 18: Sensor Brown or Orange
- 19: Unused
- 20: Unused
- 21: Unused
- 22: Unused
- 23: Sensor Red
- 24: Sensor Black
- 25: Sensor Green

SS-A1579, RF (01/09) Page 6 of 8




AC POWER WIRING CHEMISTRY ENCLOSURE (CUSTOMER CONNECTIONS) - STRIPPING STYLE



ATI-0550

AC POWER WIRING CHEMISTRY ENCLOSURE (CUSTOMER CONNECTIONS) - CONTACT STYLE



ATI-0580

SS-A1579, RF (01/09) Page 7 of 8



MONITOR W/JUNCTION BOX WIRING

